

SUBJECT INDEX

A

- acute chondritis
Surgical treatment of — — of the external ear. M. Orticochea, 38
- anal sphincter
Reconstruction of the — — by gracilis muscle transfer: The value of electromyography in the preoperative assessment and postoperative management of the patient. N. Ben-Hur, A. Gilai, J. Golan, U. Sagher & M. Issac, 156
- anastomoses
The importance of topical heparin in microvascular —: a study in the rat. S. Sinclair, 422
- anomalous
Bilateral — flexor sublimis muscle to the index finger. F. J. Martelo-Villar, 80

B

- bilateral cleft lip
A modification of the Manchester technique for secondary repair of — —. J. K. Sinha, 77
- breast implants
Alternative route for the insertion of — — in mammary reconstruction: a technical note. J. M. Robles, O. A. Zimman & J. C. Lee, 221
- Breast reconstruction
— — with microsurgical free composite tissue transplantation. T. Harashina, T. Imai, H. Nakajima & T. Fujino, 30

C

- Chest-wall reconstruction
— — — using the external oblique muscle. D. J. Hodgkinson & P. G. Arnold, 216
- cleft lip and palate
Ether-cyclopropane anaesthesia for the primary repair of — — — (a 20 year experience). F. O. Jennings, E. J. Delaney & J. B. Prendiville, 301
Further experience in the early simultaneous repair of — — —. I. Kaplan, E. Taube, M. Ben-Bassat, J. Dresner, Ariellah Nachmani & M. Rosenbaum, 299
- Columella
— reconstruction using internal nasal vestibular flaps. T. R. Vecchione, 399
Reconstruction of the — with alar margin flaps. M. N. Saad & J. N. Barron, 427
- conchas
Refined technique for reconstructing the whole nose with the — of the ears. M. Orticochea, 68
- cooling
The effects of — on experimental free flap survival. P. K. Donski, J. D. Franklin, J. V. Hurley & Bernard McC. O'Brien, 353
- cranial defects
The reconstruction of — — involving scalp, bone and dura following electrical injury: Report of two cases treated by homograft, free

- groin flap and cranioplasty. J. P. Chavoin, M. Gigaud, M. Clouet, F. Laffitte & M. Costagliola, 311
- Cross-facial nerve grafts
— — — anastomosis in the treatment of facial paralysis: A preliminary report on 10 cases. A. Gary-Bobo, J. M. Fuentes & B. Guerrier, 195
— — — and microneurovascular free muscle transfer for long established facial palsy. B. McC. O'Brien, J. D. Franklin & W. A. Morrison, 202

D

- Degloving injuries
— — of the limbs: long-term review and management based on whole-body fluorescence. D. A. McGrouther & L. Sully, 9
- digital nerves
Intracutaneous neuroma following division of — —. C. T. Khoo, R. T. Herrick & D. M. Evans, 190
- dissection
Supraomohyoid neck —. D. J. Hanley, 136
- donor sites
Silastic foam dressing for skin graft — —: a preliminary report. K. G. Harding, G. Richardson & L. E. Hughes, 418
- Dupuytren's disease
Relieving the skin shortage in — — by advancing a series of triangular flaps: How to design and use them. G. C. Baker & H. Kirk Watson, 1
- dynamic reconstruction
A — — of a facial defect with a pectoralis major myocutaneous flap. Y. Maruyama, H. Nakajima & T. Fujino, 145

E

- Earliest
— free muscle graft? J. P. Nicolai, 346
- electrical injury
The reconstruction of cranial defects involving scalp, bone and dura following — —: Report of two cases treated by homograft, free groin flap and cranioplasty. J. P. Chavoin, M. Gigaud, M. Clouet, F. Laffitte & M. Costagliola, 311
- Ether-cyclopropane anaesthesia
— — — for the primary repair of cleft lip and palate (a 20-year experience). F. O. Jennings, E. J. Delaney & J. B. Prendiville, 301
- experimental
Scanning electron microscope study of — microvascular anastomoses in the rabbit. G. Nightingale, I. Fogdestam & B. McC. O'Brien, 283
The effects of cooling on — free flap survival. P. K. Donski, J. D. Franklin, J. V. Hurley & B. McC. O'Brien, 353
The role of heparin in restoring the blood

- supply in ischaemic skin flaps: an experimental study in rabbits. C. P. Sawhney, 430
- Experimental observations
- on the behaviour of nerve grafts in sheaths formed around silicone rods. R. B. Berry, W. R. Ewart, D. R. E. Reeve & B. C. Sommerlad, 324
- experimental study
- Free microvascular epiphyseal transplantation: An - in dogs. P. K. Donski & B. McC. O'Brien, 169
 - Perichondrial microvascular free transfer: An - in rabbits. P. Donski & B. McC. O'Brien, 46
- exposed bone
- "Skin and bone": The use of muscle flaps to cover - . D. E. Tolhurst, 99
- external ear
- Surgical treatment of acute chondritis of the - . M. Orticochea, 38
- eyelid
- Upper and lower - reconstruction with a neurovascular free flap from the first web space of the foot. L. A. Chait, A. Cort & S. Braun, 132
- F
- face
- An unusual example of necrobiosis lipodica affecting the - . G. L. Wantzin, E. Siim & S. Medgyesi, 61
- fascia lata
- Skin graft survival on a - graft. M. N. Saad & C. T. K. Khoo, 143
- facial
- A dynamic reconstruction of a - defect with a pectoralis major myocutaneous flap. Y. Maruyama, H. Nakajima & T. Fujino, 145
- facial paralysis
- Cross-facial nerve grafts and microneurovascular free muscle transfer for long established - . B. McC. O'Brien, J. D. Franklin & W. A. Morrison, 202
 - Cross-facial nerve anastomosis in the treatment of - : A preliminary report on 10 cases. A. Gary-Bobo, J. M. Fuentes & B. Guerrier, 195
- femoral dysgenesis
- The Pierre Robin syndrome associated with - . D. O. Maisels & J. H. Stilwell, 237
- finger injuries
- The many-tailed flap for multiple - . P. J. Hurwitz, 230
- flap
- A myocutaneous island - in the treatment of a chronic radionecrotic ulcer of the abdominal wall. S. Parkash & K. Ramakrishnan, 138
 - Primary reconstruction of perineal defect with a bilobed myocutaneous - : Case report. Y. Maruyama, H. Nakajima & S. Kodaira, 440
 - Reconstruction of the chest wall using a de-epithelialised "turn over" deltopectoral - . A. G. Leonard, 187
 - The many-tailed - for multiple finger injuries. P. J. Hurwitz, 230
- flaps
- Columella reconstruction using internal nasal vestibular - . T. R. Vecchione, 399
 - Reconstruction of the columella with alar margin - . M. N. Saad & J. N. Barron, 427
 - Reconstruction of the lower lip with two from the upper lip hinged on the superior labial vessels. Z. L. G. Juraha, 87
 - Relieving the skin shortage in Dupuytren's disease by advancing a series of triangular - : How to design and use them. G. C. Baker & H. Kirk Watson, 1
 - The role of heparin in restoring the blood supply in ischaemic skin - : An experimental study in rabbits. C. P. Sawhney, 430
- free flap survival
- The effects of cooling on experimental - . P. K. Donski, J. D. Franklin, J. V. Hurley & B. McC. O'Brien, 353
- free muscle graft
- Earliest - ? J. P. Nicolai, 350
- G
- "Gate flap"
- - for the total reconstruction of the lower lip. R. Fujimori, 340
- gluteus maximus
- A - myocutaneous island flap for the repair of a sacral decubitus ulcer. Y. Maruyama, H. Nakajima, M. Wada, T. Imai & T. Fujino, 150
- gracilis muscle
- Reconstruction of the anal sphincter by - transfer: The value of electromyography in the preoperative assessment and postoperative management of the patient. N. Ben-Hur, A. Gilai, J. Golan, U. Sagher & M. Issac, 156
 - The - flap and musculocutaneous flap in the repair of perineal and ischial defects. H. P. Labandter, 95
- graft
- Skin - survival on a fascia lata graft. M. N. Saad & C. T. K. Khoo, 143
- groin flaps
- Two - - out of one. J. A. Clarke & L. F. A. Rossi, 262
- H
- Haemostatic suture
- A - for the pharyngeal flap donor site. R. W. Parsons, 185
- hand
- Tactile gnosis in free skin grafts in the - . I. B. Matev, 434
- head and neck
- The pectoralis major island flap: An important new flap for - - reconstruction. B. C. Mendelson, 318
- heparin
- The importance of topical - in microvascular anastomoses: a study in the rat. S. Sinclair, 422
 - The role of - in restoring the blood supply in ischaemic skin flaps: an experimental study in rabbits. C. P. Sawhney, 430
- hernia
- Repair of midline abdominal incisional - by gracilis muscle transfer. S. Venugopalan, 43
- hexadactyly
- Median cleft of the upper lip in association with bilateral - and accessory toes. C. T. K. Khoo & M. N. Saad, 407
- horned hand
- The - - : An acquired deformity, or just another Etruscan mystery? A. Marsili, D. Bregante-Marsili & P. Santoni-Rugiu, 56

I

- index finger
 Bilateral anomalous flexor sublimis muscle to the ——. F. J. Martelo-Villar, 80
- inferior gluteal artery
 Closure of a large defect of the pelvic cavity by an extended compound myocutaneous flap based on the ——. D. J. Hurwitz, 256
- inverted nipple
 A method for correcting the ——. A. M. Morris & P. M. Lamont, 41
 The correction of permanently ——. C. R. Rayner, 413
- island flap
 An —— from the first web space of the foot to cover plantar ulcers. H. J. Buncke, Jr. & L. B. Colen, 242
- isoxsuprine
 A study of the treatment time necessary for the vasodilator drug —— to prevent necrosis in a skin flap. B. Zide, H. J. Buncke & F. Finseth, 383

L

- latissimus dorsi
 Extended of —— myocutaneous flap in reconstruction of the neck. B. V. Krishna & M. F. Green, 233
- Lengthening finger stumps
 —— amputated through the middle phalanx with local flaps and bone grafts. M. Orticochea, 127
- limbs
 Degloving injuries of the ——: Long-term review and management based on whole-body fluorescence. D. A. McGrouther & L. Sully
- local flaps
 The repair of post-traumatic vaginal stenosis using — thigh ——. A. I. Pakian, 54
- lower lip
 "Gate flap" for the total reconstruction of the ——. R. Fujimori, 340
 Reconstruction of the —— with two flaps from the upper lip hinged on the superior labial vessels. Z. L. G. Juraha, 87
- Lymphoedema
 —— of the extremities: a new approach to its management. C. P. Sawhney, 445

M

- mammary reconstruction
 Alternative route for the insertion of breast implants in ——: a technical note. J. M. Robles, O. A. Zimman & J. C. Lee, 221
- Malignancy
 —— following a single injury to the skin. J. H. Stilwell & G. Sclare, 74
- many-tailed
 The —— flap for multiple finger injuries. P. J. Hurwitz, 230
- Median cleft
 —— of the upper lip in association with bilater hexadactyly and accessory toes. C. T. K. Khoo & M. N. Saad, 407
- meningococcal septicaemia
 Skin loss in ——. D. J. Adendorff, A. Lamont & D. Davies, 251
- microneurovascular
 Cross-facial nerve grafts and —— free muscle transfer for long established facial palsy. B.

- McC. O'Brien, J. D. Franklin & W. A. Morrison, 202
- microsurgical free transplantation
 Breast reconstruction with —— composite tissue ——. T. Harashina, T. Imai, H. Nakajima & T. Fujino, 30
- Microvascular
 — segmental thumb reconstruction: A case report. R. B. Hamilton & W. A. Morrison, 64
 The importance of topical heparin in — anastomoses: a study in the rat. S. Sinclair, 422
- microvascular anastomoses
 Scanning electron microscope study of experimental —— in the rabbit. G. Nightingale, I. Fogdestam & B. McC. O'Brien, 283
- microvascular free transfer
 Perichondrial ——: An experimental study in rabbits. P. Donski & B. McC. O'Brien, 46
- microvascular transplantation
 Free — epiphyseal —: An experimental study in dogs. P. K. Donski & B. McC. O'Brien, 169
- microvenous graft to artery
 Segmental ——. S. K. Das, B. McC. O'Brien, F. S. C. Browning, B. W. G. Nicholls & G. Nightingale, 365
- midline forehead flap
 Reconstructing the nasal tip with a ——. N. R. Gaze, 122
- muscle
 Bilateral anomalous flexor sublimis — to the index finger. F. J. Martelo-Villar, 80
- muscle flap
 Chest-wall reconstruction using the external oblique —. D. J. Hodgkinson & P. G. Arnold, 216
- muscle flaps
 "Skin and bone": The use of —— to cover exposed bone. D. E. Tolhurst, 99
- muscle transfer
 Cross-facial nerve grafts and microneurovascular free —— for long established facial palsy. B. McC. O'Brien, D. Franklin & W. A. Morrison, 202
 Repair of midline abdominal incisional hernia by gracilis ——. S. Venugoplan, 43
- musculocutaneous flap
 The gracilis muscle flap and —— in the repair of perineal and ischial defects. H. P. Labandter, 95
- myocutaneous
 A — island flap in the treatment of a chronic radionecrotic ulcer of the abdominal wall. S. Parkash & K. Ramakrishnan, 138
 Primary reconstruction of perineal defect with a bilobed — flap: Case report. Y. Maruyama, H. Nakajima & S. Kodaira, 440
- myocutaneous flap
 A dynamic reconstruction of facial defect with a pectorial major ——. Y. Maruyama, H. Nakajima & T. Fujino, 145
 A gluteus maximus island — for the repair of sacral decubitus ulcer. Y. Maruyama, H. Nakajima, M. Wada, T. Imai & T. Fujino, 150
 Closure of a large defect of the pelvic cavity by an extended compound —— based on the inferior gluteal artery. D. J. Hurwitz, 256
 Extended role of latissimus dorsi — in

- reconstruction of the neck. B. V. Krishna & M. F. Green, 233
- Primary reconstruction of perineal defect with a bilobed : case report. Y. Maruyama, H. Nakajima & S. Kodaira, 440
- Our clinical experience with the tensor fasciae latae . J. C. McGregor & A. C. Buchan, 270
- The rectus abdominis . free . . . D. G. Pennington, M. F. Lai & A. D. Pelly, 277
- N
- nasal
- Reconstructing the . . . tip with a midline forehead flap. N. R. Gaze, 122
- The application of the cantilever bridge principle to silastic support: a preliminary report. M. J. Arons, 404
- nasal reconstruction
- The versatile costal osteochondral graft in . . . L. A. Chait, H. Becker & Alex Cort, 179
- naso-labial repair
- The use of a cutaneous-muscular flap for primary . . . with a modified tennison-randall technique. C. Leon-Valle, 266
- neck
- Extended role of latissimus dorsi myocutaneous flap in reconstruction of the . . . B. V. Krishna & M. F. Green, 233
- Supraomohyoid . . . dissection. D. J. Hanley, 136
- necrobiosis lipoidica
- An unusual example of . . . affecting the face. G. L. Wantzin, E. Siim & S. Medgyesi, 61
- negro
- Rhinophyma in a . . . : case report. C. T. K. Khoo & M. N. Saad, 161
- neurovascular free flap
- Upper and lower eyelid reconstruction with a . . . from the first web space of the foot. L. A. Chait, A. Cort & S. Braun, 132
- nerve grafts
- Experimental observations on the behaviour of . . . in sheaths formed around silicone rods. R. B. Berry, W. R. Ewart, D. R. E. Reeve & B. C. Sommerlad, 324
- neuroma
- Intracutaneous . . . following division of digital nerves. C. T. Khoo, R. T. Herrick & D. M. Evans, 190
- Nigerians
- Post-circumcision vulval adhesions in . . . L. M. Iregbulem, 83
- nose
- Refined technique for reconstructing the whole . . . with the conchas of the ears. M. Orticochea, 68
- The management of the "skeletonised" . . . T. R. Vecchione, 224
- O
- operating microscope
- The . . . : A necessity or a luxury? A. McGrouther, 453
- oral carcinomas
- Sternomastoid based island flap for lining after resection of . . . S. Parkash, K. Ramakrishnan & N. Ananthkrishnan, 115
- osteochondral graft
- The versatile costal . . . in nasal reconstruction. L. A. Chait, H. Becker & A. Cort, 179
- P
- parotid tumour
- A . . . presenting as unilateral facial numbness, epiphora and absent blink reflex. D. H. Frank, W. J. Hagstrom, M. C. Robson, S. J. F. Landa & R. H. Riddell, 92
- pectoralis major
- A dynamic reconstruction of a facial defect with a . . . myocutaneous flap. Y. Maruyama, H. Nakajima & T. Fujino, 145
- The . . . island flap: an important new flap for head and neck reconstruction. B. C. Mendelson, 318
- pelvic cavity
- Closure of a large defect of the . . . by an extended compound myocutaneous flap based on the inferior gluteal artery. D. J. Hurwitz, 256
- perichondrial flaps
- The use of . . . in the reconstruction of partial loss of the auricle. Y. Maruyama & T. Nakajima, 4
- perichondrial transfer
- . . . microvascular free . . . : An experimental study in rabbits. P. Donski & B. McC. O'Brien, 46
- perineal defect
- Primary reconstruction of . . . with a bilobed myocutaneous flap: Case report. Y. Maruyama, H. Nakajima & S. Kodaira, 440
- perineal defects
- The gracilis muscle flap and musculocutaneous flap in the repair of . . . ischial . . . H. P. Labandter, 95
- Peutz-Jeghers' syndrome
- Treatment of pigmentation of lips and oral mucosa in . . . using ruby and argon lasers. Toshio Ohshiro, Y. Maruyama, H. Nakajima & M. Mima, 346
- pharyngeal flap
- A haemostatic suture for the . . . donor site. R. W. Parsons, 185
- Pierre Robin syndrome
- The . . . associated with femoral dysgenesis. D. O. Maisels & J. H. Stilwell, 237
- pigs
- The effects of varying degrees of tension on the viability of skin flaps in . . . P. M. Stell, 371
- plantar ulcers
- An island flap from the first web space of the foot to cover . . . H. J. Buncke, Jr. & L. B. Colen, 242
- Post-circumcision
- vulval adhesions in Nigerians. L. M. Iregbulem, 83
- premaxilla
- Localised scleroderma of the . . . and upper lip. M. N. Saad & C. T. K. Khoo, 245
- R
- radionecrotic ulcer
- A myocutaneous island flap in the treatment of

- a chronic — — of the abdominal wall. S. Parkash & K. Ramakrishnan, 138
- Reconstruction**
- of the anal sphincter by gracilis muscle transfer: The value of electromyography in the preoperative assessment and postoperative management of the patient. N. Ben-Hur, A. Gilai, J. Golan, U. Sagher & M. Issac, 156
 - of the columella with alar margin flaps. M. N. Saad & J. N. Barron, 427
 - of the lower lip with two flaps from the upper lip hinged on the superior labial vessels. Z. L. G. Juraha, 87
 - Columella — using internal nasal vestibular flaps. T. R. Vecchione, 399
 - Extended role of latissimus dorsi myocutaneous flap in — of the neck. B. V. Krishna & M. K. Green, 233
 - “Gate flap” for the total — of the lower lip. B. Fujimori, 340
 - Primary — of perineal defect with a bilobed myocutaneous flap: Case report. Y. Maruyama, H. Nakajima & S. Kodaira, 440
 - The — of cranial defects involving scalp, bone and dura following electrical injury: Report of two cases treated by homograft, free groin flap and cranioplasty. J. P. Chavoïn, M. Gigaud, M. Clovet, F. Laffitte & M. Costagliola, 311
 - The pectoralis major island flap: An important new flap for head and neck —. B. C. Mendelson, 318
 - Upper and lower eyelid — with a neurovascular free flap from the first web space of the foot. L. A. Chait, A. Cort & S. Braun, 132
- Reconstruction chest wall**
- of the — — using a de-epithelialised “turn-over” deltopectoral flap. A. G. Leonard, 187
- reconstruction of auricle**
- The use of perichondrial flaps in the — — partial loss of the —. Y. Maruyama & T. Nakajima, 4
- Reconstructing**
- the nasal tip with a midline forehead flap. N. R. Gaze, 122
 - Refined technique for — the whole nose with the conchas of the ears. M. Orticochea, 68
- rectus abdominis**
- The — — myocutaneous free flap. D. G. Pennington, M. F. Lai & A. D. Pally, 277
- replantation surgery**
- Definitions and classifications in — —. E. Biemer, 164
- Retiring Editor**
- —: Tom Gibson, vi
- Rhinophyma**
- in a negro: Case report. C. T. K. Khoo & M. N. Saad, 161
- rhinoplasty**
- Augmentation —. L. Rozner, 377
- ruby and argon lasers**
- Treatment of pigmentation of the lips and oral mucosa in Peutz-Jeghers’ syndrome using — — —. T. Ohshiro, Y. Maruyama, H. Nakajima & M. Mima, 346
- S**
- sacral ulcer**
- A gluteus maximum myocutaneous island flap for the repair of a — decubitus —. Y. Maruyama, H. Nakajima, Michitaka Wada, T. Imai & T. Fujino, 150
- scalp**
- Transposition flaps of inextensible skin such as the —. C. P. Sawhney, 119
- scleroderma**
- Localised — of the premaxilla and upper lip. M. N. Saad & C. T. K. Khoo, 245
- secondary repair**
- A modification of the Manchester technique for — — of bilateral cleft lip. J. K. Sinha, 77
- silastic**
- The application of the cantilever bridge principle to — nasal support: A preliminary report. M. J. Arons, 404
- Silastic foam**
- — dressing for skin graft donor sites: A preliminary report. K. G. Harding, G. Richardson & L. E. Hughes, 418
- simultaneous repair**
- Further experience in the early — — of cleft lip and palate. I. Kaplan, E. Taube, M. Ben-Bassat, J. Dresner, D. D. S. Anellah Nachmani & M. Rosenbaum, 299
- single injury**
- Malignancy following a — — to the skin. J. H. Stilwell & G. Sclare, 74
- skin**
- Malignancy following a single injury to the —. J. H. Stilwell & G. Sclare, 74
- Skin loss**
- — in meningococcal septicaemia. D. J. Adendorff, A. Lamont & D. Davies, 251
- Sternomastoid muscle flap**
- based island flap for lining after resection of oral carcinomas. S. Parkash, K. Ramakrishnan & N. Ananthakrishnan, 115
- Survival of free flap**
- — — after 20 hours of immediate post-operative venous occlusion. N. H. McKee, R. T. Mantelow & R. R. Zuker, 361
- T**
- Tactile gnosis**
- — in free skin grafts in the hand. I. B. Matev, 434
- Tennison-Randall**
- The use of a cutaneous-muscular flap for primary naso-labial repair with a modified — — technique. C. Leon-Valle, 266
- tension**
- The effects of varying degrees of — on the viability of skin flaps in pigs. P. M. Stell, 371
- tensor fasciae latae**
- Our clinical experience with the — — — myocutaneous flap. J. C. McGregor & A. C. Buchan, 270
- thumb reconstruction**
- Microvascular segmental — —: A case report. R. B. Hamilton & W. A. Morrison, 64
- Tom Gibson**
- Retiring Editor: — —, vi
- Transposition flaps**
- — of inextensible skin such as the scalp. C. P. Sawhney, 119
- U**
- upper lip**
- Localised scleroderma of the premaxilla and —. M. N. Saad & C. T. K. Khoo, 245
 - Median cleft of the — — in association with

bilateral hexadactyly and accessory toes. C. T. K. Khoo & M. N. Saad, 407
 urethral fistulae
 A simple technique for repair of — by Y-V advancement. M. N. Saad, C. T. K. Khoo & A. S. Lochaitis, 410

V

vaginal stenosis
 The repair of post-traumatic thigh flaps. A. J. Pakiam, 54
 using local

Vascularised tube pedicle
 — —: A case report. W. A. Morrison and J. J. Pribaz, 25
 viability of skin flaps
 The effects of varying degrees of tension on the — in pigs. P. M. Stell, 371

W

whole-body fluorescence
 Degloving injuries of the limbs: Long-term review and management based on —. D. A. McGrouther & L. Sully, 9