



Subject Index

A

- Abdominoplasty, paraplegic patients, 337
- Adipofascial turn-over flaps, 307
- Alopecia *see* Baldness
- Anaesthesia, local, relation of temperature of solution to pain of injection, 76
- Angelmann syndrome (letter to the editor), 175
- Apert's syndrome 542 (letter to the editor)
 - upper airway obstruction, 355
- Arteries
 - grafts, ischaemic, functional and structural effects of hypothermic storage, 570
 - hypothermic storage, 570
- Arteriovenous malformations, intratumoral ligation, 694
- Axial pattern flaps
 - frontonasal, refinements, 371
 - neurocutaneous island flaps, forearm, 489
 - regional tissue blood flow, non-radioactive coloured microsphere measurement, 127

B

- Baldness, male pattern, treatment with bilateral vertical flaps plus tissue expansion, 611
- Balloon catheters, use as intraoperative tissue expanders, 339
- Beare-Stevenson syndrome and associated congenital anomalies, 443
- Birthmarks, pigmented, treatment with pigmented lesion dye laser, 247
- Blood flow
 - cutaneous, in free TRAM flap, 665
 - deep venous system and reverse flow flaps, 652
 - non-radioactive coloured microsphere measurement of regional tissue blood flow for axial pattern flaps in rabbits, 127
 - prefabricated flaps, 449
- Bone lengthening by gradual distraction
 - mandible, 686
 - midface advancement, 201
- Botulinum A chemodenervation, cerebral palsied hands, 703
- Brachytherapy, early postoperative, following free flap reconstruction, 511
- Breast
 - implants, transaxillary approach, endoscopic assisted, 332
 - prostheses, use of mio-oncotic gel in Misti Gold prostheses, 240 *see also* Mammoplasty
- Bupivacaine, in treatment of postoperative donor site pain, 523
- Burns
 - cerium nitrate/silver sulphadiazine dressing, 582
 - cultured epidermal grafts, role of Tisseel* (tissue glue), 136
 - dressings, comparison of honey impregnated gauze and polyurethane film, 322
 - facial, nasal tube fixation (ideas and innovations), 173
 - healing, histopathological evaluation of local regimens, 585
 - immunosuppression in severe burns, 410
 - skin grafts, subcutaneous instillation of donor sites, 324
 - treatment, use of FK506 and skin allografting, 410

C

- C-ring flap, 97

Capsules

- contractile fibroblasts in capsules around tissue expanders and implants, 547
- peri-implant capsule flaps, 456

Carcinoma

- basal cell
 - Mohs surgery, 599
 - perineal infiltration, 156
- squamous cell, recurrence at base of nasolabial flaps used for intraoral reconstruction (case report), 266

Catheters, balloon *see* Balloon catheters

Cerebral palsy, botulinum A chemodenervation of hand deformity, 703

Cerebrospinal fluid leaks, anterior fossa, galea frontalis myofascial flaps, 503

Cerium nitrate/silver sulphadiazine mixture as topical burns dressing, 582

Cervicopectoral rotation flap, in facial reconstruction, 375

Chondrosarcoma, following free fibula transfer for non-union of tibia (case report), 85

Circumflex scapular artery, anatomical investigations of cutaneous branches and their communications, 160

Cleft surgery

- evaluation, role of clinical trial, 258
- see also* Lips, cleft: Nose, cleft lip

Clefts, facial

- epidemiology in central province of Saudi Arabia, 673
- see also* Lips, cleft; Palate, cleft

Composite grafts, survival, effect of postoperative cooling, 707

Contractures, hands of children with epidermolysis bullosa, surgical treatment, 314

Cooling, postoperative, to enhance composite graft survival, 707

Craniofacial surgery, midface advancement by gradual distraction, 201

Craniosynostoses, syndromal, upper airway obstruction, 355

Cross-finger flaps, C-ring flap, 97

Crouzon syndrome, upper airway obstruction, 355

D

Darrier's disease (letter to the editor), 346

Delay, flow-through venous flaps, experimental study, 56

Dermis, surface ultrastructure, 460

Dermofluorometry, quantitative, in study of venous flap viability, 273

Digital artery flaps, reverse

- and cold intolerance (letter to the editor), 374
- innervated through bilateral neuroorrhaphy, use for reconstruction of pulp defects, 483
- in reconstruction of finger defects (letter to the editor), 87

Digits, replantation, leeching using styrofoam cup (ideas and innovations), 621

Distraction, gradual

- mandible, 686
- midface advancement, 201

Dressings, burns *see* Burns, dressings

- DuoDERM E* in treatment of split-skin graft donor sites
 - comparison with scarlet red, 79
 - comparison with Zenoderm*, 82

E

- Ears, reconstruction, compressive plastic splint (ideas and innovations), 622

Encephalocoeles, basal, imaging and exposing hernia, 497

Enophthalmos, orbital neurofibromatosis and, 36

Epidermal grafts, cultured

role of Tisseel® (tissue glue), 136

see also Keratinocytes

Epidermolysis bullosa

hand splintage following surgery, 192

surgical treatment of contracture and syndactyly in children, 314

Epiphora in facial paralysis, 143, 149

slitting lower canaliculus in, 148

Epiphyseal plate, free graft, growth potential, 416

Ethics and plastic surgery, defining medical ethics, 647

Extravasation injuries, 91

Eyebrows, reconstruction, secondary vascularised hair-bearing island flaps, 45

Eyelids, upper, gold weight insertion in facial palsy, morbidity (letters to the editor), 343, 344

F

Face

burns, nasal tube fixation (ideas and innovations), 173

fractures, associated injuries, review of 839 patients, 635

midface advancement by gradual distraction, 201

progressive hemifacial atrophy

aesthetic treatment, 194

skeletal involvement and treatment, 39

reconstruction, cervicopectoral rotation flap, 375

wounds, use of toothbrush for debridement (letter to the editor), 627

Facial paralysis

epiphora in, 143, 149

gold weight insertion in upper eyelids, morbidity (letters to the editor), 343, 344

Fasciitis, necrotising, head and neck (letters to the editor), 176, 345, 715

Fasciocutaneous flaps

medial lower leg, distally based, 639

scapular, for reconstruction of posterior neck, 508

Feet

plantar ulcers, treatment by distally based island first dorsal metatarsal artery flap, 480

reconstruction using vascularised fibula, 317

Fibroblasts

contractile, in capsules around tissue expanders and implants, 547

skin, comparison in newborn and old subjects and potential for tissue repair, 132

Fibula

free transfer to tibia, chondrosarcoma at recipient site (case report), 85

free vascularised flaps, morbidity, 466

vascularised, use in foot reconstruction, 317

Fingers

cross-finger flaps, C-ring flap, 97

injury, splints (letter to the editor), 344

microsurgical distal reconstruction following mutilating injuries, 181

pulp defects, reverse digital artery flap innervated through bilateral neurotomy, 483

reconstruction of defects, reverse digital artery flap (letter to the editor), 87

cold intolerance in (letter to the editor), 87

replantation, leeching using styrofoam cup (ideas and innovations), 621

Fingertips

reconstruction, effect of postoperative cooling on composite graft survival, 707

replantation with afferent A-V anastomosis for venous drainage, 187

Fistulae *see under names of specific fistulae*

FK506, use with skin allografting for treatment of severe burns, 410

Forearm

free flaps, in reconstruction of cervical trachea, 32

neurocutaneous axial island flaps, anatomical, experimental and preliminary clinical results, 489

tenolysis, use of omentum as gliding material, 590

Free flaps

forearm, in reconstruction of cervical trachea, 32

pedicle transfer beneath skin bridge (ideas and innovations), 340

use of early postoperative brachytherapy, 511

vascularised fibula, morbidity, 466

Free grafts, epiphyseal plate, growth potential, 416

Frontal sinus fractures, treatment, 208

Frontonasal flaps, axial, refinements, 371

G

Galea frontalis myofascial flaps, in anterior fossa CSF leaks, 503

Groin defects, use of inferiorly based rectus abdominis flap, 168

H

Hair-bearing island flaps, secondary vascularised, for eyebrow reconstruction, 45

Hands

cerebral palsied, botulinum A chemodenervation, 703

contractures, surgical treatment in children with epidermolysis bullosa, 314

splints, following surgery for epidermolysis bullosa, 192

Head and neck

necrotising fasciitis (letters to the editor), 176, 345, 715

prefabricated flaps, 223

Heel pad hypertrophy, bilateral (letter to the editor), 87

Hemifacial atrophy, progressive

aesthetic treatment, 194

skeletal involvement and treatment, 39

Heparinised saline irrigation solutions in prevention of microvascular thrombosis, comparison of (letter to the editor), 268

Honey impregnated gauze, use as burn dressing, 322

Hypospadias repair in circumcised patients, use of T flap, 164

Hypothermic storage, effects on ischaemic arterial grafts, 570

I

Implants

capsules, contractile fibroblasts in, 547

peri-implant capsule flaps, 456

Island flaps

neurocutaneous axial, forearm, 489

vascularised hair-bearing, for eyebrow reconstruction, 45

venous, query if purely venous, 285

K

Kaltostat, in treatment of postoperative donor site pain, 523

Keloid, treatment methods' evaluation, 10-year follow-up study (letter to the editor), 87

Keratinocytes

cultured

importance of dermis for *in vivo* growth, 401

porcine model using skin graft chambers, 393

grafts

effect of backing on autograft take, 228

restoration of basement membrane structure following autografting, 384

variable rejection patterns of allografts in rabbits, 235

Kerato-dermal grafts, importance of dermis for *in vivo* growth of cultured keratinocytes, 401

Ketorolac

effects on microvascular thrombosis 296

L

- Lasers, Pigmented Lesion Dye (PLDL-1), in treatment of pigmented birthmarks.** 247
- Leeches**
digital replantation, use of styrofoam cup (ideas and innovations). 621
retrieval (letter to the editor). 543
- Legs, lower**
distally based medial fasciocutaneous flaps. 639
double V-Y advancement in reconstruction of skin defects. 644
- Lipomatosis, mediastinal, and sebaceous naevus of Jadassohn (case report).** 264
- Lips, cleft**
early repair of unilateral cleft lip using small triangular flap, and nasal correction. 616
epidemiology in central province of Saudi Arabia. 673
nose deformities *see* Nose, cleft lip
repair, modified Z-plasty in unilateral cleft lip. 676
- Lower limbs**
double V-Y advancement in reconstruction of skin defects. 644
localised varicosities in 39-year-old tissue transfer (case report). 712

M

- Mammoplasty**
augmentation, transaxillary, endoscopic assisted. 332
reduction, Lejour vertical scar technique. 516
- Mandible, lengthening by gradual distraction, with use of accurate skull replicas.** 686
- Melanoma, malignant**
excision margins. 525
histopathology as prognostic guide. 72
non-medical implications. 158
thin, with poor prognosis. 607
- Meningococcal septicaemia, management of skin infarction following.** 243
- Metatarsal artery flaps, first dorsal, distally based island flaps, for coverage of distal plantar defect.** 480
- Microspheres, non-radioactive coloured, in measurement of regional tissue blood flow for axial pattern flaps in rabbits.** 127
- Microvascular anastomosis**
loop sutures. 105
new technique for vessels with great discrepancy in diameter (ideas and innovations). 619
- Microvascular prostheses, healing of microvenous PTFE prostheses in rat femoral vein.** 110
- Mohs surgery of basal cell carcinoma.** 599
- Mouth**
cancer
management, pursuit of function and cosmesis. 23
recurrence of intraoral squamous cell carcinoma at base of nasolabial flaps (case report). 266
intraoral reconstruction, nasolabial flaps, recurrence of squamous cell carcinoma at base (case report). 266
intraoral soft tissue replacement, supramalleolar peroneal flap based on septocutaneous perforators. 151
- Muscle grafts, in repair of mixed peripheral nerves.** 557
- Muscle transplantation, pharyngoplasty by.** 430, 440
- Musculocutaneous flaps**
rectus abdominis, inferiorly based, for inguinal and perineal coverage—low pressure zone concept. 168
transverse rectus abdominis, free, cutaneous blood flow. 665
- Myofascial flaps**
galea frontalis, in anterior fossa CSF leaks. 503
in treatment of chronic recurrent synovial fistulae. 303

N

- Naevi**
sebaceous naevus of Jadassohn and primary mediastinal lipomatosis (case report). 247
treatment with pigmented lesion dye laser. 247
- Nasal tube fixation in facial burns patients (ideas and innovations).** 173

- Nasolabial flaps, in intraoral reconstruction, recurrence of intraoral squamous cell carcinoma at base (case report).** 266
- Neck, posterior, reconstruction using scapular fasciocutaneous flap.** 508
- Nerves**
grafts, regeneration, effect of omental wrapping. 426
location, use of wire sutures (case report). 263
peripheral, histological examination of nerves elongated by tissue expanders. 421
- Neurocutaneous axial island flaps, forearm: anatomical, experimental and preliminary clinical results.** 489
- Non-radioactive coloured microspheres, in measurement of regional tissue blood flow for axial pattern flaps in rabbits.** 127
- Nose**
cleft lip
computer-aided method of measuring nasal symmetry. 13
repair, assessment of early versus no nasal correction. 7
repair, comparison of computer versus panel assessment. 18
repair, morbidity review at around 10 years of age. 1
repair, neonates. 616
repair, one stage open tip rhinoplasty at time of bilateral lip repair: Alor Setar experience. 215
repair, one stage open tip rhinoplasty at time of unilateral lip repair: Alor Setar experience. 363
vestibular fold (letter to the editor). 345
reconstruction, effect of postoperative cooling on composite graft survival. 707
rhinoplasty, psychological studies, comparison of NHS and private patients. 327
self-retaining splint (letter to the editor). 714
tip, repair, axial frontonasal flap. 371

O

- Obituaries, Wilflingseder, Paul.** 626
- Ofloxacin, release from silicone gel sheet.** 576
- Omentum**
as gliding material after forearm tenolysis. 590
use in nerve graft wrapping. 426
- Oral *see* Mouth**
- Orbit, neurofibromatosis with enophthalmos.** 36
- Orf, human.** 532
- Oro-antral fistulae, chronic, sinus obliteration (case report).** 341

P

- Palate, cleft.** 673
pharyngoplasty by muscle transplantation. 430
repair, role of postoperative arm splints in babies. 681
tongue flap repair (letter to the editor). 543
- Paraplegics, abdominoplasty.** 337
- Penis, subtotal amputation in children.** 535
- Perineum, defects, use of inferiorly based rectus abdominis flap.** 168
- Peripheral nerves, repair of mixed peripheral nerves using muscle autografts.** 557
- Peroneal flap, supramalleolar, based on septocutaneous perforators, use in intraoral soft tissue replacement.** 151
- Pfeiffer syndrome, upper airway obstruction.** 355
- Pharyngoplasty by muscle transplantation.** 430, 440
in failed cleft palate cases, with special reference to influence of pharynx on voice production. 430
- Pharynx, influence on voice production.** 430
- Plantar defects, distal, distally based island first dorsal metatarsal artery flap.** 480
- Polytetrafluoroethylene (PTFE) microvenous prostheses, healing, in rat femoral vein.** 110
- Polyvinylpyrrolidone (PVP), low molecular weight, use in breast prostheses.** 240
- Prefabricated flaps**
blood flow through. 449
for head and neck. 223
using exteriorised vascular pedicle in rabbit ear model. 279
venous, experimental study in rabbits. 122
- Pressure garments, pressure development under.** 538
- Pretilbital injuries in elderly, comparison of early mobilisation and bed rest following surgical treatment.** 594

- Prostaglandin E1
 effect on skin flap survival, comparison of topical and systemic administration, 670
 relationship between time of application and improved flap survival, 580
- Prostheses
 breast *see* Breast, prostheses
 PTFE microvenous, healing, in rat femoral vein, 110
- Psychology, comparison of NHS and private rhinoplasty patients, 327

R

- Rectus abdominis muscle, inferiorly based flap for inguinal and perineal coverage – low pressure zone concept, 168
- Reverse digital artery flaps
 and cold intolerance (letter to the editor), 374
 innervated through bilateral neurotomy, for reconstruction of pulp defects, 483
 in reconstruction of finger defects (letter to the editor), 87
- Reverse flow flaps, deep venous system and, 652
- Romberg's disease *see* Hemifacial atrophy, progressive

S

- Scapular artery, circumflex *see* Circumflex scapular artery
- Scapular fasciocutaneous flaps, for reconstruction of posterior neck, 508
- Scarlet red in treatment of split-skin graft donor sites, 79
- Scars, hypertrophic, evaluation, 10-year follow-up study (letter to the editor), 87
- Sebaceous naevus of Jadassohn and primary mediastinal lipomatosis, 247
- Shaving, deep, for excision of benign pigmented tumours, 255
- Sialadenitis, xanthogranulomatous (case report), 624
- Silicone gel sheets, release of ofloxacin from, 576
- Silver sulphadiazine
 burn healing pattern with, 585
 with cerium nitrate, as topical burns dressing, 582
- Skin
 benign pigmented tumours, excision by deep shaving, 255
 fibroblasts, comparison in newborn and old subjects and potential for tissue repair, 132
- flaps
 neural and vascular changes in rat groin flaps, immunohistochemical study, 48
 prefabrication using exteriorised vascular pedicle, 279
 snuff-box flap, 252
 survival, effect of Prostaglandin E1, comparison of topical and systemic administration, 670
 survival, following secondary ischaemia, effect of perfusion by University of Wisconsin (UW) solution, 288
- grafts
 donor sites, comparison of DuoDerm E[®] and scarlet red in treatment of split-skin graft donor sites, 79
 donor sites, comparison of Zenoderm[®] and DuoDERM E[®] in treatment of split-skin graft donor sites, 82
 donor sites, subcutaneous instillation in burns patients, 324
 donor sites, treatment of pain with bupivacaine and kalostat, 523
 severe burns, use of FK506, 410
 split-skin grafts, burns patients, subcutaneous instillation of donor sites, 324
 split-skin grafts, comparison of DuoDerm E[®] and scarlet red in treatment of donor sites, 79
 split-skin grafts, comparison of Zenoderm[®] and DuoDERM E[®] in treatment of donor sites, 82
 split-skin grafts, treatment of donor site pain, 523
 storage, and keratinocyte viability, 292
 wounds, mechanical properties, 565
 necrosis following meningococcal septicaemia, management, 243
- Snuff-box flap, 252
- Splints
 compressive plastic, for use in ear reconstruction (ideas and innovations), 622

- finger injury (letter to the editor), 344
- hands, following surgery for epidermolysis bullosa, 192
- nasal, self-retaining (letter to the editor), 714
- Sutures
 loop, microsurgical telescoping anastomosis, 105
 wire, as aid to locating nerves (case report), 263
- Syndactyly, treatment
 children with epidermolysis bullosa, 314
 reverse W-M plasty, 300
- Synovial fistulae, chronic recurrent, treatment with myofascial flaps, 303

T

- Tenolysis, forearm, use of omentum as gliding material, 590
- Thromboembolism, prophylaxis (letters to the editor), 175, 627
- Thrombosis, microvascular
 effects of ketorolac on 296
 heparinised saline irrigation solutions, comparison (letter to the editor), 268
- Thumb, microsurgical distal reconstruction following mutilating injuries, 181
- Thumb-in-palm deformity, botulinum A chemodenervation, 703
- Tibia
 chondrosarcoma, at site of free fibula transfer for non-union of tibia (case report), 85
 open fractures, soft tissue management (letter to the editor), 344
- Tibial vessels, posterior, anatomic basis and clinical applications of flaps based on, 470
- Tisseel[®]
 and *in vivo* evolution of human cultured epidermis, 136
 role in grafting process, 136
- Tissue expansion
 contractile fibroblast in capsules around tissue expanders, 547
 histological changes in elongated peripheral nerves, 421
 intraoperative, use of balloon catheter, 339
 in treatment of male pattern baldness, along with flaps, 611
- Tongue flap in treatment of cleft palate (letter to the editor), 543
- Toothbrush, use in debridement of facial wounds (letter to the editor), 627
- Toradol *see* Ketorolac
- Trachea, cervical, reconstruction with free forearm flap, 32
- Transverse rectus abdominis musculocutaneous (TRAM) flaps, free, cutaneous blood flow, 665
- Tubes, nasal, fixation in facial burns patients (ideas and innovations), 173
- Turn-over flaps, adipofascial, 307

U

- University of Wisconsin (UW) solution, effect of perfusion on skin flap survival following secondary ischaemia, 288

V

- V-Y advancement flaps, double, in reconstruction of skin defects of anterior lower limb, 644
- Varicosities in donor tissue in 39-year-old reconstruction of lower limb (case report), 712
- Venous flaps
 arterialised, 61
 flow-through
 delay in, 56
 experimental, 378
 island flaps, query if purely venous, 285
 pedicled
 clinical applications, 68
 experimental study, 116
 prefabricated, experimental study in rabbits, 122
 viability
 comparison of arterialised and non-arterialised flaps, 273
 study by quantitative dermo-fluorometry, 273
- Venous system, deep, and reverse flow flaps, 652
- Vestibular fold, in cleft lip nose (letter to the editor), 345

W

W-M plasty, reverse, in repair of congenital syndactyly, 300

Wilflingseder, Paul, obituary, 626

Wire sutures, as aid to locating nerves (case report), 263

Wounds

dressings, split-skin graft donor sites

comparison of DuoDERM[®] and scarlet red, 79

comparison of Zenoderm[®] and DuoDERM[®], 82

healing

early postoperative brachytherapy following free flap reconstruction, 511

skin fibroblasts and, comparison in newborn and old subjects, 132

skin graft, mechanical properties, 565

surface ultrastructure, 460

Z

Z-plasty, unilateral cleft lip repair, modified technique, 676

Zenoderm[®] in treatment of split-skin graft donor sites, 82